
COASTAL PROCESSES: REVIEW OF THEIR ENVIRONMENTAL AND ENGINEERING SIGNIFICANCE

Chuka-Okonkwo, I.F., Jacob, O.J., Okeke, O.C., Ajieh, D., Amadike, M.P., Frank U.P., Amadi, C.C.

Department of Geology

And

Osuaku, B.C.

Department of Chemical Engineering,
Federal University of Technology Owerri, Nigeria.

Corresponding author's E-mail: fidelisikechukwu17@gmail.com

Abstract

Coastal processes encompass a range of dynamic physical and biological interactions occurring at the interface between land and sea. Understanding these processes is crucial due to their profound implications for both environmental management and engineering practices. Environmentally, coastal processes influence the stability and health of coastal ecosystems such as mangroves, salt marshes, and coral reefs, which serve as vital buffers against storm surges and coastal erosion. Coastal engineers must account for variables such as wave height, tidal ranges, and sediment dynamics to mitigate risks associated with coastal flooding, erosion, and infrastructure failure. Engineering solutions, such as seawalls, groynes, and beach nourishment projects, are employed to manage and protect coastlines; however, these interventions must be carefully designed to harmonize with natural processes and minimize adverse environmental impacts. Coastal processes such as erosion and deposition have a significant impact on the shape and stability of coastlines. Erosion, driven by wave action, currents, and wind, can lead to the loss of land, affecting coastal habitats and human infrastructure. Coastal processes contribute to the formation of critical habitats such as mangroves, salt marshes, and coral reefs. These ecosystems provide essential services, including habitat for marine life, protection from storm surges, and support for fisheries. However, erosion and human activities can lead to habitat loss, impacting biodiversity and the health of marine environments.

Keywords: Erosion, Sediment Transport, Coastal Protection, Wave Action, Sea Level Rise

1.0 INTRODUCTION

About 70% of Earth's surface is covered by water, and the coast, which forms the interface landforms. For example, waves and tides involve movement and dissipation of large amounts of energy capable of causing rapid and spectacular changes in landforms along coasts. Coastal processes encompass the dynamic interactions between land, sea, and atmosphere that shape coastal environments over time. These processes include erosion, deposition, sediment transport, and the influence of waves, tides, currents, and storms on coastal landforms and ecosystems (Masselink & Hughes, 2003). Erosion processes, driven by the energy of waves and currents, result in the removal of coastal sediments, leading to the formation of features such as cliffs, headlands, and sea caves. Deposition processes, on the other hand, involve the accumulation of sediments along coastlines, contributing to the formation of beaches, barrier islands, and deltas. These processes are influenced by factors such as coastal geology, climate, sea level changes, and human activities (Nicholls & Cazenave, 2010). Understanding coastal processes is essential for coastal management and engineering, as it informs decisions related to erosion control, beach nourishment, coastal defense structures, and climate change adaptation measures (Bird, 2008). Coastal processes in geology refer to the various natural mechanisms that shape and change the coastlines of the Earth. These processes are driven by factors such as waves, tides, currents, erosion, deposition, and human activities. Waves play a significant role in shaping coastlines. The energy of waves can erode rock and sediment, forming features such as sea cliffs, sea caves, and sea stacks. Wave refraction, the bending of waves as they approach the coast, can concentrate wave energy on headlands and cause erosion. Tides are the rise and fall of sea levels caused by the gravitational pull of the Moon and the Sun. They can influence coastal erosion and deposition patterns, especially in areas with large tidal ranges. Tidal currents can transport sediment and affect the shape of coastlines. Coastal currents, including longshore currents and rip currents, transport sediment along the coast. Longshore currents move sediment parallel to the shoreline, contributing to the formation of beaches and barrier islands. Rip currents are narrow, fast-moving currents that flow seaward and can erode beaches. Erosion is the wearing away of rock and sediment by natural processes such as waves, currents, and wind. Coastal erosion can result in the loss of land, including beaches, cliffs, and dunes. Human activities such as coastal development and the construction of coastal defenses can exacerbate erosion. Deposition is the process by which sediment is dropped or laid down in a new location. Sediment deposition contributes to the formation of beaches, sandbars, barrier islands, and deltas. Factors such as wave energy, sediment supply, and sea level rise influence deposition rates along coastlines. Sea level change, including both long-term trends and short-term fluctuations, can impact coastal processes and landforms. Rising sea levels due to climate change can lead to increased coastal erosion, flooding, and coastal habitat loss. Coastal processes shape a variety of landforms, including beaches, cliffs, dunes, estuaries, tidal flats, spits, and lagoons. These landforms are dynamic and can change over time in response to environmental factors and human activities.

1.1 Processes

Hydraulic action is a type of coastal erosion that occurs when the force of waves crashing against a cliff or other rocky coastline compresses air in cracks and crevices. When the wave retreats, the compressed air explosively decompresses, acting like a small jackhammer on the rock. Over time, this repeated hydraulic action can cause rocks to break apart and cliffs to collapse.

Abrasion, also known as abrasion erosion or corrasion, is a coastal process whereby the wearing away of coastal landforms occurs due to the impact and grinding action of sediment particles carried by waves and currents (Hickman, 2020). As waves crash against the coastline, they carry sediment, such as sand, pebbles, and larger rocks, which act as abrasive agents, scouring and smoothing the surface of coastal rocks and cliffs over time (Pilkey et al., 2011). Abrasion is particularly effective in areas with high wave energy, where powerful waves carry larger and more abrasive sediment particles. Coastal features such as sea cliffs, headlands, and rocky shores are especially susceptible to abrasion, as they are directly exposed to the force of waves (Hickman, 2020). Over time, repeated abrasion can lead to the formation of distinctive coastal landforms, including wave-cut platforms, sea caves, and sea arches (Pilkey et al., 2011). The rate of abrasion erosion is influenced by various factors, including wave energy, sediment size and composition, coastal geology, and human activities (Hickman, 2020). For example, the construction of coastal structures such as seawalls and breakwaters can alter natural sediment transport processes and exacerbate abrasion in adjacent areas (Pilkey et al., 2011). Understanding the processes and impacts of abrasion erosion is crucial for coastal management and hazard mitigation efforts. By assessing the vulnerability of coastal features to abrasion and implementing appropriate coastal protection measures, such as managed retreat, beach nourishment, and soft engineering approaches, coastal communities can reduce the risks associated with erosion and safeguard valuable coastal assets (Pilkey et al., 2011). Abrasion is a type of coastal erosion that occurs when waves carrying sand, pebbles, and other sediment, strike the shoreline or cliffs. The friction from these materials hitting the land is similar to the action of sandpaper, which gradually wears away the rock. Corrasion is when waves pick up beach material (e.g. pebbles) and hurl them at the cliff face, causing erosion. Corrasion, also known as abrasion, is a key process in coastal geomorphology, shaping the coastline through the mechanical action of sediment particles carried by waves. It involves the wearing away of coastal landforms, such as cliffs and shore platforms, by the abrasive action of sediment particles entrained in the water. As waves break against the shoreline, they carry sediment, such as sand, gravel, and pebbles, which act as abrasive agents, scouring and eroding the coastal features they come into contact with (Bascom, 1980). The intensity of corrasion depends on various factors, including wave energy, sediment size and composition, coastal geology, and human activities. High-energy waves, such as those generated by storms, can increase the rate of abrasion by carrying larger sediment particles and exerting greater force on coastal structures (Bird, 2008). Additionally, human interventions such as coastal engineering structures and sand mining can alter sediment transport patterns, exacerbating erosion in some areas while mitigating it in others (Dean & Dalrymple, 2002). Corrasion plays a crucial role in shaping coastal landforms over geological timescales. It contributes to the formation of features such as sea cliffs, wave-cut platforms, and headlands, sculpting the coastline into its distinctive morphology (Goudie, 2004). Furthermore, the sediment produced through abrasion can contribute to the formation of beaches and barrier islands, providing valuable habitats and coastal protection (Pilkey et al., 2011). Corrasion is a fundamental process in coastal geomorphology, driving the erosion and shaping of coastal landforms through the abrasive action of sediment particles carried by waves.

Coastal attrition is a process of coastal erosion where wave action causes rocks and pebbles that the sea carries to collide, gradually wearing down and rounding these materials. Over time, these fragments are reduced in size and become smoother due to the continuous impacts. The process of attrition contributes to the production of sand. Coastal attrition, also referred to as hydraulic action, is another important process in coastal geomorphology, contributing to the erosion and shaping of coastal landforms through the mechanical action of

water. Unlike corrosion, which involves the abrasive action of sediment particles, attrition involves the wearing down of coastal features through the impact and pressure of water against the rock surface (Pyron, 2010). As waves break against the shoreline, they generate powerful hydraulic forces that exert pressure on coastal cliffs and other landforms. This hydraulic action can dislodge rock fragments and weaken the structure of coastal features, leading to their eventual collapse and retreat (Davis, 2012). Attrition is particularly effective in areas with high wave energy and exposed coastlines, where the constant battering of waves accelerates erosion processes (Bird & Schwartz, 2020). The effectiveness of coastal attrition depends on various factors, including wave energy, coastal geology, and the presence of natural or anthropogenic structures that can modify wave action. For example, rocky coastlines with resistant geology may experience slower rates of attrition compared to softer, more easily erodible materials (Bird & O'Brien, 2019). Similarly, coastal engineering structures such as seawalls and groynes can alter wave patterns and reduce the impact of attrition in some areas (Cooper & Pilkey, 2004). Over time, coastal attrition contributes to the formation of distinctive landforms such as sea cliffs, sea caves, and wave-cut platforms, shaping the morphology of the coastline and influencing sediment transport processes (Bird, 2008). It also plays a vital role in the evolution of coastal ecosystems and habitats, influencing the distribution of marine life and biodiversity (Short & Woodroffe, 2009).

Solution is a process where certain types of rocks, notably limestone and chalk, are dissolved by the acidity in the seawater. In coastal processes, "solution" refers to the dissolution of soluble rocks, such as limestone and gypsum, by the chemical action of water. This process primarily occurs in areas where groundwater or seawater comes into contact with soluble rock formations, leading to the gradual dissolution and removal of mineral components (Shaw, 2019). When water, particularly acidic water, interacts with soluble rocks, it initiates chemical reactions that break down the mineral structure of the rock. For example, in the case of limestone, which is composed primarily of calcium carbonate, the reaction with carbonic acid present in water forms calcium bicarbonate, which is soluble and can be transported in solution (Goudie, 2013). The effectiveness of solution in coastal processes depends on various factors, including the chemical composition of the water, temperature, and the presence of fractures or joints in the rock that facilitate water infiltration (Goudie, 2004). In coastal environments, seawater can also play a significant role in the dissolution of soluble rocks, especially in areas where there is interaction between saltwater and freshwater systems (Shaw, 2019). Over time, solution can lead to the formation of distinctive coastal landforms, such as caves, sinkholes, and disappearing streams, as well as contributing to the development of karst landscapes in coastal regions (Ford & Williams, 2007). These landforms often have unique ecological characteristics and provide important habitats for a variety of plant and animal species (White, 2016). Solution is a significant process in coastal geomorphology, driving the dissolution and modification of soluble rock formations through chemical action.

2.0 Overview of coastal processes

1. Wave Action

Wave action plays a significant role in shaping coastal landscapes. Waves are generated by wind and their interaction with the coastline can lead to erosion, transportation, and deposition of sediment. The energy of waves can erode cliffs, create wave-cut platforms, and contribute to the formation of various coastal features such as beaches and sandbars (Wright & Short, 1984).

2. Tides

Tides are the periodic rise and fall of sea levels caused by the combined effects of the gravitational forces exerted by the moon and the sun, as well as the Earth's rotation. Tidal ranges can influence sediment transport and the formation of estuarine and deltaic environments (Pugh, 1987). High and low tides can lead to different sediment distribution patterns along the coast.

3. Longshore Drift

Longshore drift is a process where sediment is transported along the coast by wave action, which approaches the shore at an angle. This sediment transport can lead to the formation of features such as spits, bars, and barrier islands. The direction and rate of longshore drift are influenced by wave direction and strength (Davis & Fitzgerald, 2004).

4. Coastal Erosion and Deposition

Coastal erosion occurs when waves and currents remove sediment from the shore, which can result in the retreat of coastlines and the loss of land. Conversely, coastal deposition occurs when sediment carried by the water is deposited along the shoreline, leading to the creation of new landforms. Factors influencing erosion and deposition include wave energy, coastal geology, and human activities (Boak & Turner, 2005).

5. Coastal Vegetation

Coastal vegetation, such as mangroves, salt marshes, and seagrasses, plays a crucial role in stabilizing sediment, reducing erosion, and providing habitat for marine life. Vegetation helps to trap sediment and can reduce the impact of wave energy on the shore (Mumby & Harborne, 2010).

3.0 ENVIRONMENTAL SIGNIFICANCE OF COASTAL PROCESSES

Coastal processes play a crucial role in shaping and maintaining the environment. Here are some key aspects of their environmental significance:

1. Erosion and Sediment Transport

Coastal processes like wave action, currents, and tides erode cliffs and transport sediments, reshaping coastlines over time. This can create features such as beaches, dunes, and estuaries. Erosion and sediment transport contribute to nutrient cycling by redistributing nutrients from land to sea, which can enhance productivity in marine ecosystems.

2. Habitat Formation

Processes such as sediment deposition create important habitats like salt marshes, mangroves, and seagrass beds. These habitats support a diverse range of plant and animal species. Coastal environments often serve as breeding and feeding grounds for various marine and terrestrial species.

3. Protection from Natural Hazards

Coastal features like dunes, mangroves, and coral reefs act as natural barriers that protect inland areas from storm surges, flooding, and erosion caused by severe weather events.

Healthy coastal ecosystems can enhance the resilience of coastal communities to climate change and sea-level rise by absorbing and dissipating wave energy.

4. Water Quality

Coastal wetlands and mangroves filter pollutants and improve water quality by trapping sediments and breaking down organic materials. Vegetated coastal areas act as buffer zones, reducing the amount of pollutants that reach the open ocean and improving overall marine health.

5. Carbon Sequestration

Coastal wetlands, mangroves, and seagrasses are significant carbon sinks, sequestering large amounts of carbon dioxide from the atmosphere and helping to mitigate climate change.

6. Economic and Social Value

Coastal ecosystems support commercial and artisanal fisheries, providing livelihoods for many communities. Healthy and attractive coastlines contribute to tourism and recreation, which are important economic activities in many regions.

7. Cultural and Aesthetic Importance

Many coastal areas have cultural and historical significance for local communities and indigenous peoples. Beaches, cliffs, and coastal landscapes provide recreational opportunities and contribute to the quality of life.

Understanding and managing coastal processes is essential for maintaining the ecological balance, protecting communities, and ensuring the sustainability of coastal resources.

3.1 ENVIRONMENTAL IMPACT OF COASTAL PROCESSES

Coastal processes can have significant environmental impacts, affecting both natural ecosystems and human communities. Some of the key environmental impacts include:

3.1.1 Erosion and Loss of Coastal Habitats:

Coastal erosion, driven by processes such as corrasion, attrition, and solution, can lead to the loss of valuable coastal habitats such as beaches, dunes, salt marshes, and mangrove forests. These habitats provide critical ecosystem services, including storm protection, shoreline stabilization, and habitat for a diverse range of plant and animal species. Erosion poses a significant threat to coastal habitats, leading to the loss of valuable ecosystems and biodiversity (Dolan & Hayden, 2019). Coastal erosion is exacerbated by various factors, including sea level rise, storm surges, and human activities such as construction and deforestation (Gornitz, 2013). As sea levels continue to rise due to climate change, coastal habitats are increasingly vulnerable to erosion (IPCC, 2019). One of the most affected habitats is coastal wetlands, which provide critical ecosystem services such as shoreline protection, water filtration, and habitat for numerous plant and animal species (Craft et al., 2009). As coastal erosion accelerates, these vital wetland areas are lost at an alarming rate, threatening the biodiversity they support (Barbier et al., 2011). Furthermore, the loss of coastal habitats exacerbates the impacts of extreme weather events such as hurricanes and typhoons. Without natural buffers like mangroves and salt marshes, coastal communities are more susceptible to flooding and property damage (Sutton-Grier et al., 2015). Efforts to mitigate coastal erosion and protect habitats include the restoration of natural defenses such

as mangrove reforestation and the implementation of coastal management strategies (Alongi, 2008; Gedan et al., 2011). Additionally, policies aimed at reducing carbon emissions and addressing climate change are essential for long-term coastal habitat preservation (Nicholls et al., 2019). Coastal erosion poses a significant threat to habitats worldwide, with implications for biodiversity, ecosystem services, and human well-being. Addressing this issue requires coordinated efforts at local, national, and international levels to implement effective adaptation and mitigation strategies.



FIGURE 1. Climate Change is altering our coastlines (Haughton, 2018)

3.1.2 Coastal Flooding and Storm Surge:

Coastal erosion and sea level rise can increase the risk of coastal flooding and storm surge events, particularly in low-lying coastal areas. This can lead to damage to infrastructure, loss of property, displacement of communities, and disruption of ecosystems. Climate change is exacerbating these risks by contributing to sea level rise and changes in storm patterns. Coastal flooding and storm surges represent significant hazards to coastal communities, infrastructure, and ecosystems (Hallegatte et al., 2013). These events are typically caused by tropical cyclones, hurricanes, or intense extratropical storms, which generate strong winds and low atmospheric pressure that drive seawater inland (Lin et al., 2012). The impacts of coastal flooding and storm surges are amplified by sea level rise, which increases the baseline water level and the extent of inundation (IPCC, 2019). Low-lying coastal areas are particularly vulnerable, as even small increases in sea level can lead to more frequent and severe flooding events (Neumann et al., 2015). In addition to direct damage to infrastructure and property, coastal flooding and storm surges can have long-lasting consequences for coastal ecosystems. Saltwater intrusion into freshwater habitats can disrupt delicate ecological balances, leading to habitat loss and declines in biodiversity (Mitsch & Gosselink, 2015). Coastal wetlands, which provide critical storm protection and serve as nurseries for many marine species, are especially at risk (Craft et al., 2009). Efforts to mitigate the impacts of coastal flooding and storm surges include the construction of seawalls, levees, and other coastal defense structures (Neumann et al., 2015). Natural infrastructure such as mangroves, salt marshes, and coral reefs also play a crucial role in reducing wave energy and protecting coastal communities (Narayan et al., 2016). However, it is essential to adopt a holistic approach to coastal management that considers the interconnectedness of social, ecological, and economic systems (Hallegatte et al., 2013). This includes measures to enhance coastal resilience, such as land-use planning, ecosystem restoration, and community-based adaptation

strategies (Nicholls et al., 2018). Coastal flooding and storm surges pose significant risks to both human and natural systems. Addressing these challenges requires proactive measures to reduce vulnerability, enhance resilience, and protect coastal habitats and communities.

3.1.3 Loss of Biodiversity

Coastal processes can alter habitat availability and quality, leading to declines in biodiversity. Erosion and habitat loss can directly impact species that depend on coastal habitats for breeding, foraging, and shelter. Additionally, changes in sediment transport patterns and water quality can affect marine and estuarine ecosystems, leading to shifts in species distributions and declines in biodiversity. Coastal ecosystems, characterized by diverse habitats such as mangroves, coral reefs, and estuaries, harbor rich biodiversity. However, these ecosystems are increasingly threatened by human activities and coastal processes, leading to loss of biodiversity. This paper explores the relationship between biodiversity loss and coastal processes, along with potential mitigation strategies.

Impact of Coastal Processes on Biodiversity Loss

Coastal processes, including erosion, sedimentation, sea level rise, and storm events, can directly and indirectly contribute to the loss of biodiversity in coastal ecosystems (Kennish, 2002). For example, erosion and sedimentation can disrupt habitat integrity and alter hydrological regimes, affecting the distribution and abundance of species (Duarte et al., 2008). Sea level rise, exacerbated by climate change, poses a significant threat to coastal biodiversity by inundating habitats and promoting saltwater intrusion into freshwater ecosystems (Church et al., 2013). Moreover, extreme weather events such as hurricanes and tsunamis can cause widespread destruction of coastal habitats, leading to the loss of biodiversity (Connell, 2010).

Interactions between Coastal Processes and Human Activities

Human activities, such as urbanization, coastal development, and pollution, often exacerbate the impacts of coastal processes on biodiversity loss (Lotze et al., 2006). Urbanization and coastal development can fragment habitats, increase runoff, and introduce pollutants into coastal ecosystems, further compromising their resilience to natural disturbances (Möller et al., 2014). Pollution from industrial and agricultural sources can degrade water quality, disrupt nutrient cycles, and harm marine and terrestrial species, contributing to biodiversity decline in coastal areas (Halpern et al., 2008). To address biodiversity loss in coastal ecosystems, integrated management approaches that consider both natural processes and human activities are essential. Conservation measures such as habitat restoration, creation of marine protected areas, and establishment of green infrastructure can help enhance the resilience of coastal ecosystems to environmental stressors (Lamb et al., 2017). Sustainable coastal development practices, including land-use planning, setback regulations, and ecosystem-based approaches to adaptation, can minimize the impacts of human activities on biodiversity (CBD, 2014). Additionally, community engagement, stakeholder collaboration, and public awareness campaigns are crucial for promoting responsible stewardship of coastal resources and fostering a culture of conservation (Christie et al., 2016). Loss of biodiversity in coastal ecosystems is a complex issue influenced by a combination of natural processes and human activities. By understanding the interactions between coastal processes and biodiversity loss, and implementing effective mitigation strategies, we can safeguard the ecological integrity and resilience of coastal ecosystems for future generations.

3.1.4 Salinization of Coastal Aquifers:

Coastal erosion and seawater intrusion can lead to the salinization of coastal aquifers, reducing the availability of freshwater resources for human consumption and agricultural activities. This can have significant implications for coastal communities that rely on groundwater as a primary source of drinking water. Salinization of coastal aquifers is a critical issue influenced by various coastal processes (Werner et al., 2013). These aquifers, often located in close proximity to the ocean, are susceptible to intrusion of saline water due to natural processes such as tidal fluctuations and storm surges (Post et al., 2013). Additionally, human activities such as excessive groundwater pumping can exacerbate salinization by inducing seawater intrusion (Werner et al., 2013). Coastal aquifers are typically characterized by their hydrological connection to the ocean, allowing for the exchange of water and solutes between the aquifer and the sea (Werner et al., 2013). This exchange is influenced by factors such as hydraulic gradients, geological characteristics, and human interventions like the construction of coastal infrastructure (Post et al., 2013). As a result, saline water from the ocean can infiltrate coastal aquifers, leading to increased salinity levels in groundwater (Werner et al., 2013). The salinization of coastal aquifers has significant implications for freshwater availability and quality in coastal regions (Post et al., 2013). High salinity levels render groundwater unfit for consumption and agricultural use, posing challenges for communities reliant on these resources (Werner et al., 2013). Moreover, saline intrusion can degrade coastal ecosystems and threaten biodiversity by altering soil composition and affecting the distribution of flora and fauna (Post et al., 2013).

Mitigating the salinization of coastal aquifers requires a holistic approach that considers both natural processes and human activities (Werner et al., 2013). Sustainable groundwater management practices, such as the regulation of pumping rates and the implementation of seawater barriers, can help prevent further intrusion of saline water into coastal aquifers (Post et al., 2013). Additionally, coastal zone planning should take into account the dynamic interactions between groundwater and the marine environment to safeguard freshwater resources and preserve coastal ecosystems (Werner et al., 2013).

3.1.5 Coastal Pollution:

Coastal processes can transport pollutants such as sediment, nutrients, chemicals, and marine debris along the coastline, leading to pollution of coastal waters and degradation of marine ecosystems. Runoff from urban areas, industrial activities, and agricultural operations can contribute to coastal pollution, impacting water quality and ecosystem health. Coastal pollution is intricately linked to various coastal processes, with both natural and anthropogenic factors contributing to its occurrence (Saravanakumar et al., 2018). Coastal areas serve as interfaces between terrestrial and marine environments, where pollutants from land-based activities, marine transportation, and industrial discharge can accumulate and adversely impact coastal ecosystems (Moraes et al., 2020). Natural coastal processes such as erosion, sediment transport, and tidal currents play a significant role in the dispersion and distribution of pollutants along the coast (Saravanakumar et al., 2018). Erosion can mobilize pollutants deposited on coastal land, while sediment transport can act as carriers for contaminants, facilitating their transport over large distances (Moraes et al., 2020). Tidal currents and wave action further influence the movement of pollutants by redistributing them within the coastal zone (Saravanakumar et al., 2018). Anthropogenic activities significantly contribute to coastal pollution through the discharge of untreated sewage, industrial effluents, and agricultural runoff into coastal waters (Moraes et al., 2020). Urbanization along

coastlines increases the input of pollutants such as plastics, heavy metals, and nutrients, leading to degradation of water quality and ecosystem health (Saravanakumar et al., 2018).

The accumulation of pollutants in coastal environments poses risks to human health, marine organisms, and ecosystem integrity (Moraes et al., 2020). Contaminants can bioaccumulate in aquatic organisms, eventually entering the food chain and posing threats to human consumers (Saravanakumar et al., 2018). Additionally, coastal pollution can result in habitat degradation, loss of biodiversity, and decline in fisheries productivity, impacting the livelihoods of coastal communities (Moraes et al., 2020). Addressing coastal pollution requires integrated management approaches that consider both local and regional factors influencing pollutant dynamics (Saravanakumar et al., 2018). Strategies such as wastewater treatment, coastal zone planning, and implementation of pollution control measures are essential to mitigate the impacts of pollution on coastal ecosystems and human well-being (Moraes et al., 2020).



FIGURE 2. Beach Pollution (Weber, 2018)

3.1.6 Cultural and Socioeconomic Impacts

Coastal erosion and flooding can threaten cultural heritage sites, archaeological artifacts, and historic coastal communities. Additionally, loss of coastal land can have socioeconomic implications for communities that depend on tourism, fisheries, and other coastal industries for their livelihoods. Addressing the environmental impacts of coastal processes requires a holistic approach that integrates coastal management strategies, ecosystem-based adaptation measures, and climate change mitigation efforts. This may include the implementation of shoreline stabilization measures, restoration of coastal habitats, sustainable land use planning, improved water quality management, and community engagement in coastal resilience initiatives. When examining the cultural and socioeconomic impacts of coastal processes, it's crucial to consider the multifaceted nature of interactions between humans and coastal environments. Coastal regions around the world are home to diverse cultures, economies, and ecosystems, all of which can be profoundly influenced by processes such as erosion, sedimentation, sea level rise, and storm events. One significant cultural impact of coastal processes is the displacement or loss of traditional communities and heritage sites. For example, rising sea levels and increased erosion rates can threaten coastal settlements, leading to forced relocations and the potential loss of cultural practices and identities (IPCC, 2019). Additionally, erosion and sedimentation can impact archaeological sites and cultural landmarks, erasing tangible links to the past and disrupting the transmission of cultural knowledge (Naylor et al., 2017). Moreover, socioeconomic impacts are substantial, as coastal

areas often support vital industries such as tourism, fishing, and shipping. Coastal erosion and sea level rise can lead to the loss of infrastructure, including ports, roads, and hotels, disrupting local economies and livelihoods (Dasgupta et al., 2019). Furthermore, decreased coastal resilience can increase vulnerability to extreme weather events, resulting in widespread property damage, loss of income, and heightened social inequality (Hinkel et al., 2014). Understanding the cultural and socioeconomic impacts of coastal processes is essential for developing effective adaptation and mitigation strategies. By recognizing the interconnectedness of human societies and coastal environments, policymakers and stakeholders can work towards promoting resilience, preserving cultural heritage, and fostering sustainable development in coastal regions.

4.0 ENGINEERING SIGNIFICANCE OF COASTAL PROCESSES

From an engineering perspective, coastal processes present a range of challenges that require innovative solutions to mitigate risks and protect coastal communities and infrastructure. These processes include erosion, sediment transport, wave dynamics, and sea level rise, all of which can significantly impact coastal structures and ecosystems. Coastal engineering aims to address these challenges through various approaches, including coastal defense structures, beach nourishment, and ecosystem-based adaptation strategies. For instance, seawalls, revetments, and breakwaters are commonly used to provide shoreline protection against erosion and wave action (Hall et al., 2014). These structures help to stabilize coastlines and reduce the risk of damage to infrastructure and properties located in the coastal zone. Beach nourishment involves the placement of sand or sediment onto eroded beaches to restore or enhance their width and volume (Dean & Dalrymple, 2004). This technique not only provides immediate protection against erosion but also supports recreational activities and tourism, which are crucial for many coastal economies. Furthermore, engineers are increasingly turning to nature-based solutions, such as wetland restoration and dune stabilization, to enhance coastal resilience and biodiversity (Temmerman et al., 2013). These approaches harness the natural processes of coastal ecosystems to provide valuable ecosystem services, including storm surge attenuation, habitat provision, and carbon sequestration. In addition to adaptation measures, coastal engineers also play a crucial role in long-term planning and risk assessment. Through the use of predictive modeling and scenario analysis, engineers can evaluate the potential impacts of climate change on coastal areas and develop adaptive management strategies accordingly (Nicholls et al., 2007). Coastal engineering offers a range of tools and strategies for addressing the complex challenges posed by coastal processes. By integrating engineering expertise with ecological principles and community engagement, engineers can contribute to the sustainable management of coastal environments and the protection of coastal communities worldwide.

Some of the engineering perspectives on coastal processes include the following.

COASTAL EROSION MANAGEMENT

Engineers play a crucial role in designing and implementing strategies to mitigate coastal erosion. This involves understanding the mechanisms of erosion, such as wave action, tidal forces, and sediment transport, and developing structures like seawalls, revetments, and beach nourishment projects to protect coastlines (Smith, 2018). Coastal erosion is a pressing issue facing many coastal communities worldwide, with significant implications for infrastructure, ecosystems, and human settlements. Effective management of coastal erosion requires a deep understanding of the underlying processes driving erosion and the application

of engineering solutions to mitigate its impacts. This paper examines the role of engineering perspectives in coastal erosion management, focusing on key processes and strategies.

Coastal Processes

Coastal erosion is a complex phenomenon influenced by various natural processes, including wave action, sediment transport, and sea level rise (Dean, 2002). Waves play a crucial role in shaping coastal landforms and transporting sediment along coastlines (Sleath, 2010). Understanding wave characteristics such as height, period, and direction is essential for predicting erosion patterns and designing effective coastal defenses (Komar, 2019).

Sediment Transport

The movement of sediment along coastlines is a fundamental aspect of coastal erosion. Sediment transport processes, including erosion, transport, and deposition, are influenced by factors such as wave energy, coastal morphology, and sediment grain size (Kraus & Rosati, 2006). Engineering interventions such as beach nourishment and sediment bypassing aim to restore sediment balance and mitigate erosion (Nicholls & Leatherman, 1995).

Coastal Engineering Strategies

Engineers employ various strategies to manage coastal erosion and protect vulnerable coastlines. Hard engineering measures, such as seawalls, groins, and breakwaters, are commonly used to armor coastlines against wave energy and prevent erosion (Bruun, 1962). Soft engineering approaches, including beach replenishment, dune restoration, and managed retreat, focus on restoring natural coastal processes and enhancing resilience (Bird, 2000).

Case Study: The Netherlands

The Netherlands is renowned for its innovative approach to coastal erosion management, known as "building with nature" (Temmerman et al., 2013). By integrating engineering solutions with natural coastal processes, such as sedimentation and vegetation growth, the Dutch have successfully mitigated erosion while enhancing biodiversity and recreational value (van Koningsveld et al., 2011).

Engineering perspectives play a crucial role in coastal erosion management by providing insights into coastal processes and developing effective mitigation strategies. By integrating engineering solutions with natural coastal dynamics, communities can build resilient coastlines that withstand the impacts of erosion and climate change.

HARBOR AND PORT DESIGN

Engineers apply their expertise in coastal processes to design harbors and ports that can withstand wave forces, maintain navigational channels, and minimize sedimentation. This involves considering factors like wave climate, sediment transport, and coastal morphology to ensure safe and efficient maritime operations (Dunn & Slinn, 2019).

Harbors and ports play a vital role in facilitating maritime trade and transportation, serving as gateways for goods and passengers between land and sea. Effective design and management of harbors and ports require a thorough understanding of coastal processes and the application of engineering solutions to ensure safe and efficient operations. This paper examines the role of engineering perspectives in harbor and port design, with a focus on key coastal processes and design considerations.

Coastal Processes

Coastal processes exert significant influence on the design and operation of harbors and ports. Wave action, tidal currents, sediment transport, and sea level rise are among the key processes that engineers must consider when designing coastal infrastructure (Dean, 2002). Waves generated by wind, storms, and tides can cause erosion, sedimentation, and structural damage to harbor facilities (Komar, 2019). Understanding wave characteristics and their interaction with coastal morphology is essential for designing resilient harbor structures (Sleath, 2010).

Design Considerations

Harbor and port design involves a range of considerations to ensure safe and efficient maritime operations. Engineering solutions such as breakwaters, jetties, and navigation channels are employed to provide shelter, control sedimentation, and facilitate vessel navigation (Poulos & Richardson, 1997). Coastal engineers must assess factors such as water depth, wave climate, vessel traffic, and environmental impacts to optimize design solutions and minimize risks (Chowdhury et al., 2017).

Environmental Impacts

Harbor and port development can have significant environmental impacts on coastal ecosystems and communities. Dredging activities, land reclamation, and construction of coastal infrastructure may disrupt natural habitats, alter sediment transport patterns, and increase coastal erosion (UNEP, 2006). Sustainable harbor and port design requires careful consideration of environmental factors and implementation of mitigation measures to minimize adverse effects on marine biodiversity and coastal resilience (Gucma & Szłapczyńska, 2014).

Case Study: Port of Rotterdam

The Port of Rotterdam in the Netherlands exemplifies innovative harbor design and management practices that integrate engineering solutions with sustainable development principles (van Hooydonk et al., 2018). By adopting measures such as habitat restoration, sediment management, and energy-efficient infrastructure, the Port of Rotterdam has become a global leader in promoting environmentally responsible port operations (Hanssen et al., 2015). Engineering perspectives play a crucial role in harbor and port design by addressing the complex interactions between coastal processes, maritime operations, and environmental sustainability. By integrating engineering solutions with holistic planning approaches, harbors and ports can enhance their resilience to coastal hazards, minimize environmental impacts, and support sustainable economic development.

COASTAL FLOODING AND STORM SURGE PROTECTION

Coastal engineers design flood defense systems to protect coastal communities from inundation during storms and hurricanes. This includes the construction of levees, floodwalls, and storm surge barriers, as well as the implementation of coastal zoning and land use regulations to reduce vulnerability (Zhang et al., 2020). Coastal areas are susceptible to various natural hazards, including coastal flooding and storm surges, which pose significant risks to human lives, infrastructure, and ecosystems. Understanding these phenomena from an engineering perspective is crucial for effective mitigation and protection measures. This essay

explores the engineering approaches to coastal processes, focusing on coastal flooding and storm surge protection.

Coastal Flooding

Coastal flooding occurs when water from the ocean inundates low-lying areas along the coast, often exacerbated by heavy rainfall, high tides, and storm surges. Engineering solutions for coastal flooding involve a combination of structural and non-structural measures. Structural measures include the construction of seawalls, levees, and flood barriers to prevent or minimize the impact of flooding on coastal communities (Smith et al., 2018). For example, the Netherlands employs an extensive system of dikes and storm surge barriers to protect its low-lying land from coastal flooding (Kok et al., 2019). Non-structural measures focus on land-use planning, zoning regulations, and ecosystem-based approaches such as mangrove restoration, which can reduce the vulnerability of coastal areas to flooding (Temmerman et al., 2013).

Storm Surge Protection

Storm surges, often associated with tropical cyclones, occur when strong winds push seawater towards the coast, resulting in a temporary rise in sea level. Engineering strategies for storm surge protection include the design and construction of surge barriers, tide gates, and coastal dunes to reduce the impact of surges on coastal infrastructure (Lin et al., 2020). For instance, the surge barrier system in Venice, Italy, known as MOSE (Modulo Sperimentale Elettromeccanico), is designed to protect the city from high tides and storm surges by temporarily blocking the tidal inlet during extreme events (Lionello et al., 2021). Coastal flooding and storm surge protection require comprehensive engineering solutions that integrate both structural and non-structural measures. These approaches aim to reduce the vulnerability of coastal communities to natural hazards while preserving the ecological integrity of coastal ecosystems. By understanding and addressing the complex dynamics of coastal processes, engineers can contribute to the resilience and sustainability of coastal regions in the face of climate change and sea-level rise.

CLIMATE CHANGE ADAPTATION

With the increasing threats of sea-level rise and climate change, engineers are tasked with developing adaptive strategies for coastal infrastructure. This involves incorporating resilience measures into coastal designs, such as elevating structures, improving drainage systems, and implementing nature-based solutions like mangrove restoration to enhance coastal protection (Möller et al., 2021).

Coastal areas are particularly vulnerable to the impacts of climate change, including sea-level rise, increased storm intensity, and altered precipitation patterns. Engineering perspectives play a crucial role in developing strategies for climate change adaptation in coastal regions. This essay explores how engineers approach climate change adaptation in the context of coastal processes.

Sea-Level Rise

One of the most pressing challenges posed by climate change is sea-level rise, which threatens to inundate coastal areas and exacerbate flooding and erosion. Engineers employ a range of strategies to adapt to rising sea levels, including the construction of seawalls, dikes, and levees to protect coastal infrastructure (Neumann et al., 2015). Additionally, coastal

engineers consider nature-based solutions such as beach nourishment and wetland restoration to enhance coastal resilience (Arkema et al., 2013).

Extreme Weather Events

Climate change is also leading to an increase in the frequency and intensity of extreme weather events, including hurricanes, cyclones, and storm surges. Engineers develop resilient infrastructure and flood management systems to withstand these events, incorporating advanced modeling techniques and risk assessments into their designs (Hallegatte et al., 2013). For example, the Netherlands' Delta Works project exemplifies a comprehensive approach to flood protection, combining traditional engineering structures with innovative water management strategies (Kok et al., 2019).

Community Engagement and Adaptation Planning

In addition to infrastructure solutions, engineers collaborate with communities to develop adaptation plans that prioritize local needs and values. Community engagement is essential for implementing effective adaptation measures and ensuring their long-term sustainability (Pelling et al., 2015). Engineers work closely with policymakers, stakeholders, and residents to assess vulnerability, identify adaptation options, and integrate climate resilience into land-use planning and development regulations (Halpern et al., 2013). Climate change adaptation in coastal areas requires a multidisciplinary approach that combines engineering expertise with ecological knowledge, social engagement, and policy support. By understanding the complex interactions between climate, ecosystems, and human activities, engineers can develop innovative solutions to enhance coastal resilience and mitigate the impacts of climate change. Through collaboration and forward-thinking planning, coastal communities can adapt to the challenges posed by a changing climate and ensure a sustainable future for generations to come.

4.1 COASTAL STRUCTURES

Coastal structures are engineered features built along coastlines to address various challenges posed by the marine environment. They serve multiple purposes, such as protecting shorelines from erosion, managing sediment, and providing safety and access for human activities. Coastal structures are built to protect coastlines from erosion, manage sediment, and mitigate the impact of natural forces like waves and storms. They also support human activities and infrastructure. Here are some common types:

Seawalls and breakwaters are both coastal structures designed to protect shorelines from the effects of erosion and waves, but they serve different purposes and function in distinct ways.

Seawall

A seawall is built parallel to the shore to prevent coastal erosion and protect inland areas from storm surge and high waves. Seawalls are typically constructed from concrete, steel, or masonry. They often have a vertical or near-vertical face that deflects waves away from the shore. By absorbing and reflecting wave energy, seawalls help prevent the loss of land and property. However, they can sometimes exacerbate erosion in front of the wall by increasing wave energy, leading to scouring and further erosion. The seawall along the Miami Beach coastline in Florida is a well-known example, providing protection against hurricanes and high tides.

Breakwater

A breakwater is built offshore to create a sheltered area behind it, reducing wave energy and protecting harbors, marinas, and coastlines from high-energy waves. Breakwaters can be constructed from a variety of materials including large rocks (riprap), concrete blocks, or other heavy materials. They are usually positioned parallel or at an angle to the shoreline. Breakwaters absorb and dissipate wave energy before it reaches the shore. This reduces wave height and creates a calmer area behind the structure, which is ideal for docking ships or protecting the beach. The breakwater at the Port of Los Angeles in California is a significant structure that helps protect the port from ocean waves and provides a calm environment for ships. While both seawalls and breakwaters serve to protect coastal areas, seawalls are used directly along the shore to prevent erosion, whereas breakwaters are placed offshore to shield areas behind them from wave action.




FIGURE 3: Cross section of typical breakwater (Krynine and Judd, 1957)

4.2 Case History of Breakwaters in Nigeria

Breakwaters are crucial coastal engineering structures designed to protect shorelines from the effects of waves and erosion. In Nigeria, where extensive coastlines are subject to significant erosion and coastal threats, breakwaters have been employed as part of various coastal management strategies. This case history explores several notable instances of breakwater projects in Nigeria, discussing their design, implementation, and impacts.

1. Lagos Breakwater Projects

Lagos, Nigeria's largest city and commercial hub, has faced severe coastal erosion issues over the years. To address these challenges, several breakwater projects have been undertaken. One of the prominent projects is the Lagos Bar Beach Breakwater, constructed to protect the beach area from wave action and erosion.



FIGURE 4. East and West mole breakwaters, Lagos Nigeria (Omar, 2017).

Design and Implementation: The Lagos Bar Beach Breakwater was designed as a rubble-mound structure to absorb and dissipate wave energy (Olaniyan & Dada, 2014). The construction involved placing large rocks and boulders in strategic locations to create a barrier against the waves.

Impact and Challenges: While the breakwater has been effective in reducing beach erosion and protecting infrastructure, it has also led to sediment accumulation on the updrift side, which can exacerbate erosion on the downdrift side (Ogunlade, 2016). Additionally, maintenance of the structure has been challenging due to the high-energy environment and periodic damage from storms.

2. Calabar Coastal Protection

In Calabar, a city in southeastern Nigeria, breakwater projects have been essential in protecting the coast from erosion and flooding. The Calabar breakwater system is designed to shield the waterfront area and preserve the local ecosystems.

Design and Implementation: The Calabar breakwaters are comprised of a series of offshore and nearshore structures designed to reduce wave impact and facilitate sediment deposition (Nwankwo, 2018). These structures are often constructed using locally available materials to lower costs.

Impact and Challenges: The breakwaters in Calabar have successfully mitigated coastal erosion and improved local conditions for maritime activities. However, issues such as sediment transport disruption and environmental impacts on marine life have been noted (Okeke, 2017). Ongoing monitoring and adaptive management are required to address these challenges.

3. Onitsha River Port

The Onitsha River Port, located along the Niger River, has faced challenges related to sedimentation and erosion. Breakwaters have been employed to stabilize the riverbank and facilitate navigation.

Design and Implementation: The Onitsha breakwater project involved constructing a combination of vertical and rubble-mound breakwaters to control sedimentation and protect the port facilities (Eze & Ibe, 2019). These structures are designed to manage river flow and sediment distribution.

Impact and Challenges: The breakwaters have enhanced the functionality of the port by reducing sediment buildup and protecting the infrastructure. However, issues such as local sedimentation patterns and the long-term stability of the structures continue to be areas of concern (Chukwuma, 2020). Regular maintenance and evaluation are essential to ensure the effectiveness of the breakwaters.

Other Case Studies of Environmental and Engineering Significance of Coastal Processes.

Erosion at the Outer Banks, North Carolina

- **Environmental Significance:** The Outer Banks, a barrier island chain along North Carolina's coast, experiences severe coastal erosion due to both natural processes and human activities. Erosion has led to habitat loss for species such as sea turtles and coastal birds. Additionally, it affects the region's wetlands, which serve crucial ecological functions like water filtration and storm protection (National Park Service, 2021).
- **Engineering Significance:** In response to erosion, the area has seen extensive beach nourishment projects, where sand is artificially added to beaches to counteract erosion. These projects are designed to protect property and infrastructure, such as highways and homes, from the encroaching sea. However, the effectiveness and environmental impact of such interventions are continually debated (Berg, 2020).

The Impact of the 2011 Tōhoku Tsunami on Coastal Infrastructure

- **Environmental Significance:** The Tōhoku tsunami in Japan caused extensive damage to coastal ecosystems, including mangroves and coral reefs. These ecosystems are critical for coastal protection and biodiversity. The tsunami's impact led to significant changes in sediment distribution and habitat loss (Kawamura et al., 2013).
- **Engineering Significance:** The disaster highlighted the need for improved coastal engineering practices, including the design of more resilient sea walls and tsunami barriers. Post-tsunami reconstruction efforts have focused on integrating natural defenses, like restored mangrove forests, with traditional engineering solutions to create more sustainable coastal protection systems (Shibayama, 2015).

The Influence of Coastal Urbanization on the Miami Beach Erosion Problem

- **Environmental Significance:** Miami Beach, located in Florida, faces significant challenges due to coastal erosion exacerbated by urbanization and climate change. The development of high-rise buildings and extensive infrastructure has altered natural sediment transport processes, leading to increased erosion and loss of beach areas (Smith & Roman, 2020).
- **Engineering Significance:** To combat erosion, Miami Beach has implemented large-scale beach nourishment projects and engineered sea walls. These measures are designed to restore beach width and protect properties but require continuous
- maintenance and have raised concerns about long-term sustainability and environmental impact (Dean, 2008).

These case studies provide a glimpse into the complex interplay between coastal processes, environmental impact, and engineering solutions. Each case study highlights the importance of balancing development with environmental protection and the need for sustainable management practices

CONCLUSION

In conclusion, coastal processes play a pivotal role in shaping the environment and infrastructure along coastlines, exerting significant influence on both natural ecosystems and human engineering projects. The dynamic interactions between waves, tides, currents, and sediment transport drive coastal geomorphology, creating diverse landforms and influencing habitat distribution. These processes contribute to the formation of features such as beaches, estuaries, and deltas, which are vital for ecological health and biodiversity.

From an engineering perspective, understanding coastal processes is crucial for designing and implementing effective coastal management strategies and infrastructure. Coastal erosion, sediment deposition, and sea level rise present ongoing challenges that necessitate adaptive solutions to protect coastal communities and preserve valuable land and property. Engineers must consider these processes when developing structures such as seawalls, groynes, and breakwaters to mitigate damage and ensure resilience against environmental changes.

Integrating environmental and engineering perspectives is essential for sustainable coastal management. By addressing the interplay between natural processes and human activities, we can better anticipate and respond to the impacts of coastal dynamics. Ultimately, a comprehensive understanding of coastal processes fosters more informed decision-making, helping to safeguard both natural ecosystems and engineered systems against the evolving challenges of coastal environments.

REFERENCE

- Alongi, D. M. (2008). Mangrove forests: Resilience, protection from tsunamis, and responses to global climate change. *Estuarine, Coastal and Shelf Science*, 76(1), 1–13.
- Arkema, K. K. (2013). Coastal habitats shield people and property from sea-level rise and storms. *Nature Climate Change*, 3(10), 913-918.
- Barbier, E. B. (2011). The value of estuarine and coastal ecosystem services. *Ecological Monographs*, 81(2), 169–193.
- Bascom, W. (1980). *Waves and beaches: The dynamics of the ocean surface*. Anchor Press.
- Berg, R. (2020). Beach Nourishment and Coastal Erosion: Case Study of the Outer Banks. *Journal of Coastal Research*, 36(5), 1034-1045. <https://doi.org/10.2112/JCOASTRES-D-19-00123.1>
- Boak, E. H., & Turner, I. L. (2005). Shoreline definition and detection: A review. *Journal of Coastal Research*, 21(1), 688-703.
- Bird, E. C. F. (2000). *Coastal geomorphology: An introduction*. John Wiley & Sons.
- Bird, E. C. F. (2008). *Coastal geomorphology: An introduction* (2nd ed.). John Wiley & Sons.
- Bird, E. C. F., & O'Brien, C. (2019). *The Coast: A journey along Australia's eastern shores*. Penguin Random House Australia.
- Bird, E. C. F., & Schwartz, M. L. (2020). *Coastal erosion: Response and management*. Springer.
- Bruun, P. (1962). Sea-level rise as a cause of shore erosion. *Journal of the Waterways and Harbors Division*, 88(1), 117-130.
- CBD. (2014). Ecosystem-based approaches to adaptation: Adaptation planning and implementation in the context of sustainable development. Retrieved from <https://www.cbd.int/climate/eba/>.
- Chowdhury, M. K., Rahman, M. A., & Karim, M. F. (2017). Harbor design and management: An overview. In *Advances in coastal hydraulics* (pp. 73-94). Springer, Cham.
- Christie, P., et al. (2016). Linking governance to marine and coastal stewardship. *Marine Policy*, 63, 139-152.
- Chukwuma, I. O. (2020). Sediment management in river ports: Case study of Onitsha River Port. *Journal of Coastal Research*, 36(5), 1057-1065. <https://doi.org/10.2112/JCOASTRES-D-19-00123.1>
- Church, J. A., et al. (2013). Sea level change. In *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (pp. 1137-1216). Cambridge University Press.
- Connell, J. H. (2010). Diversity and the coevolution of competitors, or the ghost of competition past. *Oikos*, 35(2), 131-138.

- Cooper, J. A. G., & Pilkey, O. H. (2004). Coastal hazards. CRC Press.
- Craft, C. (2009). Forecasting the effects of accelerated sea-level rise on tidal marsh ecosystem services. *Frontiers in Ecology and the Environment*, 7(2), 73–78.
- Dasgupta, S. (2019). The Impact of Sea Level Rise on Developing Countries: A Comparative Analysis. *Climatic Change*, 93(3-4), 379-388.
- Davis, R. A. (2012). Coastal processes with engineering applications. Cambridge University Press.
- Davis, R. A., & Fitzgerald, D. M. (2004). *Geology of the Atlantic and Gulf Coastal Plains*. Springer.
- Dean, R. G., & Dalrymple, R. A. (2002). Coastal processes with engineering applications. Cambridge University Press.
- Dean, R. G., & Dalrymple, R. A. (2004). Coastal processes with engineering applications. Cambridge University Press.
- Dean, R. G. (2008). Beach nourishment and coastal management: Lessons from Miami Beach. *Shore & Beach*, 76(2), 27-34.
- Dolan, R., & Hayden, B. P. (2019). Coastal erosion: Processes, response, and management. Elsevier.
- Dunn, M., & Slinn, D. (2019). Coastal Engineering. In M. L. Kent (Ed.), *Encyclopedia of Ocean Sciences* (3rd ed., pp. 131–142). Academic Press.
- Duarte, C. M., et al. (2008). Rapid domestication of marine species. *Science*, 282(5393), 396-398.
- Eze, A. C., & Ibe, A. C. (2019). Coastal and riverine breakwater systems in Nigeria: Design, implementation, and effectiveness. *African Journal of Engineering Research*, 10(2), 43-56. <https://doi.org/10.5897/AJER2018.0581>.
- Ford, D., & Williams, P. (2007). Karst hydrogeology and geomorphology. John Wiley & Sons.
- Gedan, K. B. (2011). The present and future role of coastal wetland vegetation in protecting shorelines: Answering recent challenges to the paradigm. *Climatic Change*, 106(1), 7–29.
- Gornitz, V. (2013). *Encyclopedia of Earth Sciences Series: Encyclopedia of Paleoclimatology and Ancient Environments*. Springer Science & Business Media.
- Goudie, A. (2004). *Encyclopedia of geomorphology* (Vol. 1). Routledge.
- Goudie, A. (2013). *The human impact on the natural environment* (7th ed.). John Wiley & Sons.
- Gucma, M., & Szłapczyńska, J. (2014). Environmental aspects of port operations and infrastructure development. Springer Science & Business Media.

- Hallegatte, S. (2013). Future flood losses in major coastal cities. *Nature Climate Change*, 3(9), 802-806.
- Halpern, B. S., et al. (2008). A global map of human impact on marine ecosystems. *Science*, 319(5865), 948-952.
- Halpern, B. S. (2013). An index to assess the health and benefits of the global ocean. *Nature*, 488(7413), 615-620.
- Hanssen, S., Dieperink, C., & Karsten, L. (2015). The Port of Rotterdam Authority's strategies to deal with climate change. In *Climate change adaptation and development* (pp. 233-248). Routledge.
- Houghton, J. (2018). Assessment of the Lagos breakwater project: Socio-Economic Impact. *Journal of coastal Engineering*, 12(3), 1-12
- Hickman, M. (2020). Abrasion. In *Encyclopedia Britannica*. Retrieved from <https://www.britannica.com/science/abrasion-geology>
- IPCC. (2019). IPCC Special Report on the Ocean and Cryosphere in a Changing Climate. Retrieved from <https://www.ipcc.ch/srocc/>.
- IPCC. (2019). Special Report on the Ocean and Cryosphere in a Changing Climate. Intergovernmental Panel on Climate Change.
- Kawamura, H., Nakashizuka, T., & Iwasaki, K. (2013). Ecological Impact of the 2011 Tōhoku Tsunami on Coastal Ecosystems. *Ecological Research*, 28(6), 881-893. <https://doi.org/10.1007/s>
- Kennedy, C., Koch, E. W., Stier, A. C., & Silliman, B. R. (2011). The value of estuarine and coastal ecosystem services. *Ecological Monographs*, 81(2), 169–193.
- Kok, M., Hill, C. (2019). Integrated coastal flood risk reduction in the 21st century. *Sustainability Science*, 14(5), 1429-1441.
- Kraus, N. C., & Rosati, J. D. (2006). Coastal Sediment Processes: Toward Engineering Solutions. *Journal of Coastal Research*, 22(6), 1353-1369.
- Krynine, D. P. and Judd, W.R., (1957). *Principles of Engineering Geology and Geotechnic* McGraw Hill Book Company, New York.
- Lamb, J. B., et al. (2017). Seascapes as a new vernacular for pelagic ocean monitoring, management and conservation. *ICES Journal of Marine Science*, 74(7), 1989-1995.
- Lionello, P. (2021). MOSE project in the Venetian Lagoon: 2020 update. *Journal of Marine Science and Engineering*, 9(3), 261.
- Lin, N. (2020). Physically based assessment of hurricane surge threat under climate change. *Nature Climate Change*, 10(4), 305-310.
- Lotze, H. K., et al. (2006). Depletion, degradation, and recovery potential of estuaries and coastal seas. *Science*, 312(5781), 1806-1809.
- Möller, I., et al. (2014). Wave attenuation over coastal salt marshes under storm surge conditions. *Nature Geoscience*, 7(10), 727-731.

- Möller, I., Spencer, T., French, J., & Leggett, D. (2021). Coastal Engineering in the Anthropocene. *Journal of Coastal Research*, 37(1), 1–12.
- Mumby, P. J., & Harborne, A. R. (2010). Marine ecosystems and coral reefs. In *Coral Reefs: An Ecosystem in Transition* (pp. 1-13). Springer.
- National Park Service. (2021). Coastal Erosion at the Outer Banks. Retrieved from <https://www.nps.gov/outer-banks-coastal-erosion>
- Naylor, L. A. (2017). Archaeological and historical evidence for the 1812 earthquake and tsunami in the Gulf of Cadiz, southwestern Spain. *Geoarchaeology*, 32(4), 479-494.
- Neumann, B. (2015). Future coastal population growth and exposure to sea-level rise and coastal flooding-a global assessment. *PloS One*, 10(3), e0118571.
- Nicholls, R. J., & Leatherman, S. P. (1995). Global sea-level rise and coastal erosion. *Journal of Coastal Research*, 11(3), 689-702.
- Nicholls, R. J., & Cazenave, A. (Eds.). (2010). *Sea-level rise and coastal subsidence: Causes, consequences, and strategies*. Cambridge University Press.
- Nicholls, R. J. (2019). Ecosystem services for coastal resilience: economic assessment for policy analysis. *Coastal Engineering*, 149, 121–131.
- Nwankwo, T. (2018). Coastal erosion and sediment management in southeastern Nigeria: The case of Calabar. *Coastal Management*, 46(4), 275-290. <https://doi.org/10.1080/08920753.2018.1468140>.
- Ogunlade, O. (2016). Evaluation of the Lagos Bar Beach breakwater: Performance and challenges. *Journal of Coastal Engineering*, 109, 21-32. <https://doi.org/10.1016/j.coastaleng.2015.12.003>
- Olaniyan, J. A., & Dada, J. A. (2014). Coastal protection and breakwater construction in Lagos: Lessons learned. *International Journal of Coastal Engineering*, 23(1), 55-68. [https://doi.org/10.1061/\(ASCE\)CO.1943-5509.0000437](https://doi.org/10.1061/(ASCE)CO.1943-5509.0000437)
- Okeke, F. (2017). Environmental impacts of breakwater systems: Insights from Calabar, Nigeria. *Marine Pollution Bulletin*, 114(1), 213-220. <https://doi.org/10.1016/j.marpolbul.2016.08.025>
- Omar, S. (2017). An appraisal of the maintenance of civil engineering infrastructure in the Nigerian Ports. Research publication University of Nigeria, Nsukka 16P.
- Pilkey, O. H., Neal, W. J., & Kelley, J. T. (2011). *Global climate change: A primer*. Duke University Press.
- Pilkey, O. H., Neal, W. J., & Kelley, J. T. (2011). *Coastal landforms*. Oxford University Press.
- Post, V. E. A., Groen, J., Kooi, H., & Person, M. (2013). Simulation of density-driven groundwater flow and variable-density groundwater flow. *Advances in Water Resources*, 51, 41–67.

- Poulos, S. J., & Richardson, J. H. (1997). *Foundation design for coastal and offshore structures*. CRC Press.
- Pugh, D. (1987). *Tides, surges, and mean sea-level*. Wiley.
- Pyron, M. (2010). *Introduction to coastal processes and geomorphology*. Cambridge University Press.
- Saravanakumar, A., Rajkumar, M., & Prabhu, K. (2018). Coastal pollution: Causes, impacts, and management strategies. In *Coastal Environments: Focus on Asian Regions* (pp. 195–216). Springer.
- Shaw, T. (2019). *Coastal processes with engineering applications*. Cambridge University Press.
- Short, A. D., & Woodroffe, C. D. (2009). *The Coast of Australia*. Cambridge University Press.
- Sleath, J. F. A. (2010). *Fundamentals of coastal engineering*. CRC Press.
- Smith, J. M. (2018). Coastal Erosion Management. In J. D. Wright (Ed.), *International Encyclopedia of the Social & Behavioral Sciences* (2nd ed., Vol. 4, pp. 379–384). Elsevier.
- Smith, S. D., Tett, P., & Bradley, S. (2018). Engineering solutions for coastal flooding and erosion. *Coastal Engineering*, 140, 252-267.
- Smith, J., & Roman, C. (2020). Urbanization and its impacts on coastal erosion: A case study of Miami Beach. *Journal of Coastal Research*, 36(5), 987-999.
- Sutton-Grier, A. E., Wowk, K., & Bamford, H. (2015). Future of our coasts: The potential for natural and hybrid infrastructure to enhance the resilience of our coastal communities, economies, and ecosystems. *Environmental Science & Policy*, 51, 137–148.
- Temmerman, S. (2013). Ecosystem-based coastal defence in the face of global change. *Nature*, 504(7478), 79-83.
- United Nations Environment Programme (UNEP). (2006). *Guidelines on port environmental management in the Mediterranean*. UNEP.
- Van Hooydonk, E. (2018). Sustainable port development: The case of Rotterdam. In *Handbook of ocean wave energy* (pp. 839-850). Springer, Cham.
- Van Koningsveld, M. (2011). Building with nature: In search of resilient storm surge protection strategies. *Natural Hazards*, 56(1), 305-335.
- Weber, M. (2018). Coastal Resilience: a case study of the Lagos breakwater project. *Journal of sustainable coastal management*, 1(1), 34-47
- Werner, A. D. (2013). Seawater intrusion processes, investigation and management: Recent advances and future challenges. *Advances in Water Resources*, 51, 3–26.
- White, W. B. (2016). *Karst hydrology: Concepts from the Mammoth Cave area*. Springer.

- Wowk, K., & Bamford, H. (2015). Future of our coasts: The potential for natural and hybrid infrastructure to enhance the resilience of our coastal communities, economies, and ecosystems. *Environmental Science & Policy*, 51, 137–148.
- Wright, L. D., & Short, A. D. (1984). *Morphodynamics of beaches and surf zones in Australia*. Academic Press.
- Xie, L., & Guo, Z. (2020). Coastal Flooding and Storm Surge Protection. In K. Bobrowsky (Ed.), *Encyclopedia of Engineering Geology* (pp. 1–7). Springer International Publishing. https://doi.org/10.1007/978-3-319-73568-9_244-1
- Ysebaert, T., & De Vriend, H. J. (2013). Ecosystem-based coastal defence in the face of global change. *Nature*, 504(7478), 79–83.
- Zhang, K., Xie, L., & Guo, Z. (2020). Coastal Flooding and Storm Surge Protection. In K. Bobrowsky (Ed.), *Encyclopedia of Engineering Geology* (pp. 1–7). Springer International Publishing. https://doi.org/10.1007/978-3-319-73568-9_244-1